Dr. Sadhan C. Jana

Title: Associate Dean for Research, CEPS; BF Goodrich Professor, SPSPE
Dept/Program: School of Polymer Science and Polymer Engineering
Office: PEAC 422
Phone: 330-972-8293
Fax: 330-258-2339
Email: janas@uakron.edu

Books and Book Chapter:

- Jana, S.C., Du, L. "Highly-filled graphite-polymer composites: Synthesis, processing, and characterization." In Graphene and Graphene-Based Nanocomposites, Prithu Mukhopadhyay and Rakesh Gupta (Ed.), Taylor and Francis. In press.
- Jimenez, G.A., Lee, B.J., Jana, S.C., "Nanoparticles and Polymer Nanocomposites" Chapter 4 in Nanoscale Multifunctional Materials: Science and Applications, Sharmila Mukhopadhyay (Ed.), Wiley, ISBN: 978-0-470-50891-6, October 2011.
- Gunes, I.S., Jana, S.C., "Chemical and Engineering Aspects of Morphology Development and Processing of Multiphase Polymer Blend Nanocomposites" Chapter 8 in Encyclopedia of Polymer Blends, Volume 2, Avraam Isayev (Ed.), Wiley-VCH Publishers, ISBN: 978-3-527-31930-5, November 2011.
- Gunes, I.S., Jana, S.C., "Biomedical applications of shape memory polymers and their

- Jana, S.C., "Clay Nanocomposites Of Polyurethanes And Epoxies: Preparation Methods And Properties", Chapter 9 in *Processing and Properties of Nanocomposites*, ISBN 978-981-270-390-3, Advani, S.G. (Ed), World Scientific, Published December 2006.

Commissioned theme articles

Jana, S.C. The changing landscape of polymer research. Plastics Engineering, July/August 2017, 73 (3), 50-52. Published as a commissioned article to celebrate the 75th anniversary of the Society of Plastics Engineers.

Editorials

Our Journey, Our Future. Editorial. *Polym Eng Sci*. 2020;60:877–878, DOI: 10.1002/pen.25415

Our Journey, Our Future. Editorial. *Polymer Composites*. 2020;41:1699–1700, DOI: 10.1002/pc.25626.

Our Journey, Our Future. Editorial. *J Vinyl Addit Technol.* 2020;26:111–112, DOI: 10.1002/vnl.21772.

Publications in Refereed Journals

Google scholar citations~7301, h-index: 42 (as of December 7, 2020)

Top 10 cited articles:

Park, J.H., Jana, S.C., 2003 Mechanism of exfoliation of nanoclay particles in epoxy-clay nanocomposites. *Macromolecules*, **36**(8), 2758-2768. (**412 citations**)

Randall, J. P., Meador, M. A. B., Jana, S. C*. 2011 Tailoring mechanical properties of aerogels for aerospace applications. *ACS Appl. Mater. Interfaces*, 3, 613-626 (**360 citations**)

Park, J.H., Jana, S.C., 2003 The relationship between nano- t2Tc 0 T p (e)I6 (es)]T2(p (e)Ii3H.021, h)]TJ13..003 T

Ottino, J.M., Muzzio, F.J., Tjahjadi, M., Franjione, J., Jana, S.C., Kusch, H.A. 1992 Chaos, symmetry, and self-similarity: exploiting order and disorder in mixing processes. *Science*, **257**, 754-760. (**236 citations**)

Gunes, I.S., Cao, F., Jimenez, G., Jana, S.C. 2008 Evaluation of nanoparticulate fillers for development of shape memory polymer nanocomposites. *Polymer*, 49, 2223–2234 (**233** citations)

Gunes, S., Jana, S.C., 2008 Shape memory polymers and their nanocomposites: A review of science and technology of new multifunctional materials. *J. Nanosci. Nanotech*. 8, 1616-1637. (**206 citations**)

Cao, F., Jana, S.C., 2007 Nanoclay-tethered shape memory polyurethane nanocomposites. Polymer, 48(13), 3790-3800. (**208 citations**)

Jana, S.C., Metcalfe, G., Ottino, J.M. 1994 Experimental and computational studies of mixing in complex Stokes flows: The vortex mixing flow and multicellular cavity flows. *Journal of Fluid Mechanics*, **269**, 199-246. (**200 citations**)

Pattanayak, A., Jana, S.C., 2005 Synthesis of thermoplastic polyurethane nanocomposites of reactive clay by bulk polymerization methods. *Polymer*, 46(10), 3275-3288. (**200 citations**)

Complete list of publications:

1. Kulkarni, A., Jana, S.C. Surfactant-Free Syndiotactic Polystyrene Aerogel Foams Via Pickering Emulsion. *Polymer*, https://doi.org/10.1016/j.polymer.2020.123125.

2. Lin, W-H, Jana, S.C. Analysis of Porous Structures of Cellulose Aerogel Monoliths And Microparticles For Drug Delivery. *Microporous and Mesoporous Materials*, 2021, 310, 110625(1-12). https://doi.org/10.1016/j.micromeso.2020.110625.

3. Raut, P.; Yuan, S.; Miyoshi, T.; Jana, S.C., Effects Of Surface Area And Porosity On Behavior Of IL Molecules In Meso And Macroporous Polymeric Networks. *Polymer*, 211 (2020) 123081, 1-10. https://doi.org/10.1016/j.polymer.2020.123081.

4. Chan, Z.; Jana, S.C., Solid State Polymer Ionogel Electrolyte for Use in Li-ion Batteries. *SPE Polymers*, 2020, 1, 55-65, DOI: 10.1002/pls2.10016.

5. Yao, Y., Joo, P., Jana, S.C. A Surfactant-Free Microfluidic Process For Fabrication Of Multi-Hollow Polyimide Aerogel Particles. Invited special issue article in Honor of Professor Musa Kamal and Pierre Carreau. *Int. Polym. Proc*., XXXV 2020, 5, 481–492. DOI 10.3139/217.3989.

6. Zhan, C., Jana, S.C. Shrinkage Reduced Polyimide-Graphene Oxide Composite Aerogel For Oil Absorption. *Microporous and Mesoporous Materials*, 2020, 307, 110501 (1-9). doi.org/10.1016/j.micromeso.2020.110501.

7. Ghosh, M., Jana, S.C. Fabrication of hollow and porous tin-doped indium oxide nanofibers and microtubes via a gas jet fiber spinning process. *Materials* 2020, 13, 1539; doi:10.3390/ma13071539.

8. Niknezhad, S., Jana, S.C. Bi-component nanofibers from core-shell nozzle in gas jet spinning process. *J. Appl. Polym. Sci.* 2020, 137, 48901. DOI: 10.1002/app.48901.

9. Teo, N., Jin, C., Kulkarni, A., Jana, S.C. Continuous fabrication of core-shell aerogel microparticles using microfluidic flows. *Journal of Colloid and Interface Science*, 561, 2020, 772–781. DOI: 10.1016/j.jcis.2019.11.053.

10. Mawhinney, K.; Jana, S.C. Design of emulsion-templated mesoporous-macroporous polyurea gels and aerogels. *ACS Appl. Polym. Mater.* 2019, 1, 11, 3115-3129. doi.org/10.1021/acsapm.9b00762

11. Raut, P.; Li, S.; Chen, Y.-M.; Zhu, Y.; Jana, S.C. Strong and flexible composite solid polymer electrolyte membranes for Li-ion batteries. *ACS Omega* 2019, 4, 19, 18203-18209 DOI: 10.1021/acsomega.9b00885.

12. Quade, D., Jana, S., McCorkle, L The influence of thin film adhesives in pullout tests between nickel-titanium shape memory alloy and carbon fiber reinforced polymer matrix composites. *Composites Part* B, 176, 107321 (2019) 10.1016/j.compositesb.2019.107321.

13. Teo, N., Joo, P., Amis, E., Jana, S.C. Development of intricate aerogel articles using fused filament fabrication. *ACS Applied Polymer Materials* 2019, 1, 7, 1749-1756. https://doi.org/10.1021/acsapm.9b00301

14. Alrashed, M.A., Soucek, M.D., Jana, S.C. 2019 Role of graphene oxide and functionalized graphene oxide in protective hybrid coatings. *Prog. Org. Coatings*, 134, 197-208. doi.org/10.1016/j.porgcoat.2019.04.057.

15. Quade, D.J., Jana, S.C., Morscher, G.N., Kanaan, M., McCorkle, L. 2019 The effect of thin film adhesives on mode II interlaminar fracture toughness in carbon fiber composites

with shape memory alloy inserts. *Mechanics Of Materials*, 131, 22-32. DOI: 10.1016/j.mechmat.2019.01.002.

16. Teo, N., Jana, S.C. 2019 A surfactant-free process for fabrication of polyimide aerogel microparticles. *Langmuir* 35, 6, 2303-2312, DOI: 10.1021/acs.langmuir.8b03841.

17. Alrashed, M.A., Jana, S., Soucek, M.D. 2019 Corrosion performance of polyurethane hybrid coatings with encapsulated inhibitors.

37. Rajgarhia, S., Jana, S.C. 2016 Comparison of electrospinning and gas jet fiber processes for fabrication of bi-component polymer nanofibers from single solutions. *Macromol. Symp*., 369, 8–13.

38. Saengthaveep, S., Jana, S. C., Magaraphan, R. 2016 Flow and structure of compatibilized Nylon12/natural rubber blend with functional copolymer. *Journal of Elastomers and Plastics* 48(7), 614-639.

39. Fu, X., Jana, S.C., Chen, Y-M., Zhu, Y. 2016 Synergetic hybrid aerogels of vanadia and graphene as electrode materials of supercapacitors. *C (Journal of Carbon Research)*, 2, 21; doi:10.3390/c2030021 (pp.1-12).

40. Ghosh, M., Lohrasbi, M., Chuang, S., Jana, S.C. 2016 Mesoporous titanium dioxide nanofibers with significantly enhanced photocatalytic activity. *ChemCatChem*, 8, 2525-2535.

41. Gu, S., Zhai, C., Jana, S.C. 2016 Aerogel microparticles from oil-in-oil emulsion systems. *Langmuir*. 32(22), 5637-5645.

42. Kim, S.J., Chase, G., Jana, S.C. 2016 The role of mesopores in achieving high efficiency airborne nanoparticle filtration using aerogel monoliths. *Separation and Purification Technology*, 166, 48-54.

43. Rajgarhia, S.S., Benavides, R.E., Jana, S.C. 2016 Morphology control of bi-component nanofibers produced by gas jet process. *Polymer*, 93, 142-151.

44. Saengthaveep, S.; Jana, S.C.; Magaraphan, R., 2016 Correlation of viscosity ratio, morphology, and mechanical properties of polyamide 12/natural rubber blends via reactive compatibilization. *Journal of Polymer Research*, 23(5), 1-13.

45. Duan, Y., Jana, S.C., Lama, B., Espe, M. 2016 Hydrophobic silica aerogels by silylation. *Journal of Non-Crystalline Solids*, 437, 26-33.

46. Ghosh, M., Jana, S.C., 2015 Bi-component inorganic oxide nanofibers from gas jet fiber spinning process. *RSC Advances,* 5, 105313 – 105318.

47. Shinko, A., Jana, S.C., Meador, M.A.B., 2015 Crosslinked polyurea aerogels with controlled porosity. *RSC Advances*. **5,** 105329 - 105338.

48. Kim, S.J., Chase, G., Jana, S.C. 2015 Polymer aerogels for efficient removal of airborne nanoparticles. *Separation and Purification Technology*, 156, 803-808.

49. Gu, S., Li, Z., Miyoshi, T., Jana, S.C. 2015 Polybenzoxazine aerogels with controllable pore structures. *RSC Advances*, 5(34), 26801-26805.

50. Duan, Y., Jana, S.C., Lama, B., Espe, M. 2015 Self-crosslinkable poly(urethane urea)-reinforced silica aerogels. *RSC Advances*, **5**,71551-71558.

51. Bahl, K., Swanson, N., Pugh, C., Jana S.C. 2014 Polybutadiene-*g*-polypentafluorostyrene as a coupling agent for lignin-filled rubber compounds. *Polymer*, **55**, 6754-6763.

52. Saengthaveep, S., Jana, S. C., Magaraphan, R. Phase morphology, thermal and mechanical properties of compatibilized Nylon12/natural rubber blends using PS/MNR. *Advanced Materials Research* (Durnten-Zurich, Switzerland) (2014), **844**, 53-56.

53. Bahl, K., Miyoshi, T., Jana, S.C. 2014 Hybrid fillers for rubber compounds by non-covalent interactions between lignin and carbon black. *Polymer*, **55**(16), 3825-3835.

54. Gu, S., Jana, S.C. 2014 Effects of polybenzoxazine on shape memory properties of polyurethanes with glassy and crystalline soft segments. *Polymers*. 2014, **6**, 1008-1025; doi:10.3390/polym6041008

55. Bahl, K., Jana, S.C., 2014 Surface modification of lignosulfonates for reinforcement of styrene-butadiene rubber compounds. *J. Appl. Polym. Sci*., **131** (7), 40123(1-9), DOI: 10.1002/APP.40123.

56. Shang, J., Benavides, R., Jana, S.C. 2014 Effects of polymer viscosity and nanofillers on morphology of nanofibers obtained by a gas jet method. *Int. Poly. Proc*. XXIX, **1**, 103-111.

57. Saengthaveep, S., Jana, S. C., Magaraphan, R. 2013 Natural rubber-toughened

61. Wang, X., Jana, S.C. 2013 Tailoring of morphology and surface properties of syndiotactic polystyrene aerogels. *Langmuir*, **29**, 5589-5598.

62. Randall, J., Meador, M.A.B., Jana, S.C. 2013 Polymer reinforced silica aerogels: Effects of dimethyldiethoxysilane and bis(trimethoxysilylpropyl)amine as silane precursors. *Journal of Materials Chemistry A: Materials for Energy and Sustainability*, **1**, 6642-6652.

63. Duan, Y., Jana, S.C., Lama, B., Espe, M. 2013 Reinforcement of silica aerogels using silane end-capped polyurethanes. *Langmuir*, **29**, 6156-6165.

64. Wang, X., Jana, S.C. 2013 Syndiotactic polystyrene aerogels containing multi-walled carbon nanotubes. *Polymer*, **54**, 750-759.

65. Erden, N., Jana, S.C. 2013 Synthesis and characterization of shape memory polyurethane-polybenzoxazine compounds. *Macromol. Chem. Phys.* **214**, 1225-1237 (included in Special Issue: Shape-Memory Effect in Polymers, Guest-edited by Andreas Lendlein).

66. Duan, Y., Jana, S.C., Reinsel, A.M., Lama, B., Espe, M.P., 2012 Surface modification and reinforcement of silica aerogels using polyhedral oligomeric silsesquioxanes. *Langmuir*, 28, 15362−15371.

67. Benavides, R., Jana, S.C.*, Reneker, D.H. 2012 Nanofibers from scalable gas jet process. *ACS Macro Letters*, 1, 1032-1036.

68. Yuhana, N.Y., Ahmad, S., Kamal, M.R., Jana, S.C., Bahri, A.R.S. 2012 Transmission electron microscopy study of room temperature cured PMMA grafted natural rubber toughened epoxy/layered silicate nanocomposite. *Plast. Rubber Comp.*, 41, 390-395.

69. Pisitsak, P., Magaraphan, R., Jana, S.C. 2012 Electrically conductive compounds of polycarbonate, liquid crystalline polymer, and multi-walled carbon nanotubes.

72. Roy, S., Lee, B.J., Kakish, Z.M., Jana, S.C. 2012 Exploiting sorbitol-POSS interactions: Issues of reinforcement of isotactic polypropylene spun fibers. *Macromolecules*, 45(5), 2420-2433.

73. Roy, S., Feng, J., Scionti, V., Jana, S.C., Wesdemiotis, C. 2012 Self-assembled structure formation from interactions between polyhedral oligomeric silsesquioxane and sorbitol in preparation of polymer compounds. *Polymer*, 53, 1711-1724.

74. Roy, S., Scionti, V., Jana, S. C*., Wesdemiotis, C., Pischera, A.M., Espe, M. P. 2011 Sorbitol–POSS interactions on development of isotactic polypropylene composites. *Macromolecules*, 44, 8064–8079.

75. Gunes, I.S., Pérez-Bolívar, C., Jimenez, G. A., Celikbicak, O., Li, F., Anzenbacher, P., Wesdemiotis, C., Jana, S.C.* 2011 Analysis of energy transfer and ternary non-covalent filler/matrix/UV stabilizer interactions in carbon nanofiber and oxidized carbon nanofiber filled poly(methyl methacrylate) composites. *Polymer*, 52, 5355-5361.

76. Randall, J. P., Meador, M. A. B., Jana, S. C*. 2011 Tailoring mechanical properties of aerogels for aerospace applications. *ACS Appl. Mater. Interfaces*, 3, 613-626.

77. Perilla, J.E., Lee, B.J., Jana, S.C*. 2010 Rheological investigation of interactions between sorbitol and polyhedral oligomeric silsesquioxane in development of nanocomposites of isotactic polypropylene. *J. Rheol*, 54(4), 761-779.

78. Gunes, I. S., Perez-Bolivar, C. A., Cao, F., Jimenez, G. A., Anzenbacher, P., Jana, S.C.*, 2010 Analysis of non-covalent interactions between the nanoparticulate fillers and the matrix polymer as applied to shape memory performance. *J. Mater. Chem*., 20, 3467-3474.

79. Jimenez, G., Jana, S.C. 2009 Composites of carbon nanofibers and thermoplastic polyurethanes with shape memory properties prepared by chaotic mixing. *Polym. Eng. Sci.* 49(10), 2020-2030.

80. Ertekin, A., Jana, S.C., Thomas, R., 2009 An investigation on the capillary wetting of glass fiber tow and fabric structures with nanoclay-enriched reactive epoxy and silicone oil mixtures. *ACS Appl. Mater. Interfaces*, 1 (8), 1662-1671.

81. Gunes, I.S., Jimenez, G., Jana, S.C. 2009 Carbonaceous fillers for shape memory actuation of polyurethane composites by resistive heating. *Carbon*, 47, 981-997.

82. Du, L., Jana, S.C. 2008 Hygrothermal Effects on Properties of Highly Conductive Epoxy/Graphite Composites for applications as bipolar plates. *J. Power Sources*, 182, 223–229.

83. Gunes, I.S., Cao, F., Jana, S.C. 2008 Effect of thermal expansion on shape memory behavior of polyurethane and its nanocomposites. *J. Polym. Sci., Part B: Physics*, 46, 1437–1449.

84. Gunes, I.S., Cao, F., Jimenez, G., Jana, S.C. 2008 Evaluation of nanoparticulate fillers for development of shape memory polymer nanocomposites. *Polymer*, 49, 2223–2234.

85. Gunes, S., Jana, S.C., 2008 Shape memory polymers and their nanocomposites: A review of science and technology of new multifunctional materials. *J. Nanosci. Nanotech.* 8, 1616-1637.

86. Gintert, M., Jana, S.C., Miller, S. 2007 Po16 , 23 (t)-2 (, M)9.472246J 413ID 24 ƀBD3-8anot2422. 86. G9

93. Dharaiya, D., Jana, S.C., Lyuksyutov, S. 2006 Production of electrically conductive networks in immiscible polymer blends by chaotic mixing. *Polym. Eng. Sci.,* 46 (1), 19-28.

94. Dharaiya, D., Jana, S.C., 2005 Thermal decomposition of alkyl ammonium ions and its effects on surface polarity of organically treated nanoclay. *Polymer*, 46(23), 10139-10147.

95. Dharaiya, D., Jana, S.C., 2005 Nanoclay-induced morphology development in chaotic mixing of immiscible polymers. *J. Polym. Sci., Part B: Physics*, 43(24), 3638-3651.

96. Perilla, J., Jana, S.C., 2005 Coalescence of immiscible polymer blends in chaotic mixers. *AIChE J.*, 51(10), 2675-2685.

97. Pattanayak, A., Jana, S.C., 2005 Thermoplastic polyurethane nanocomposites of reactive silicate clays: Effects of soft segments on properties. *Polymer*, 46(14), 5183-5193.

98. Pattanayak, A., Jana, S.C., 2005 High strength and low stiffness composites of nanoclay-filled thermoplastic polyurethanes. *Polym. Eng. Sci.*, 45(11), 1532-1539.

99. Pattanayak, A., Jana, S.C., 2005 Properties of bulk-polymerized thermoplastic polyurethane nanocomposites. *Polymer*, 46(10), 3394-3406.

100. Pattanayak, A., Jana, S.C., 2005 Synthesis of thermoplastic polyurethane nanocomposites of reactive clay by bulk polymerization methods. *Polymer*, 46(10), 3275-3288.

101. Park, J.H., Jana, S.C., 2004 Adverse effects of thermal dissociation of quaternary ammonium ions on nanoclay exfoliation in epoxy-clay systems. *Polymer*, 45(22), 7673-7679.

102. Perilla, J., Jana, S.C., 2004 A time-scale approach for analysis of coalescence in polymer processing flows. *Polym. Eng. Sci.*, 44(12), 2254-2265.

103. Hong, C.M., Kim, D.J., Jana, S.C. 2004 Shear-induced migration of conductive fillers in injection molding. *Polym. Eng. Sci.*, 44 (11), 2101-2109.

104. Jana, S.C., Sau, M. 2004 Effects of viscosity ratio and composition on development of morphology in chaotic mixing of polymers. *Polymer*, 45(5), 1665-1678.

105.

126. Jana,S.C., Gupta, S.K. 1989 Irreversible step growth polymerization having segmental diffusion limitations in HCSTRs - simulation and steady state multiplicity. *Journal of Applied Polymer Science*, **38**, 979-995.

127. Jana, S.C., Sutradhar, B.C., Basu, R., Ray, P., Dutta, B.K. 1989 Countercurrent gas absorption with chemical reaction in a laminar falling film. *Chemical Engineering Communications*, **79**, 27-37.

11. Pisitsak, P., Magaraphan, R., Jana, S.C. 2010 A study on electrically conductive blends of polycarbonate/liquid crystalline polymer/multi-walled carbon nanotubes. Annual Technical Conference - Society of Plastics Engineers, 68th 1062-1066.
12. Gunes, I. S., Jimenez, G. A., Cao, F., Jana, S.C. 2009 Design and performance criteria for multi-functional shape memory polymer nanocomposites. Annual Technical Conference - Society of Plastics Engineers, 67th 1142-1146.
13. Randall, J., Meador, M.A. B., Jana, S. C. 2009 Silica aerogels crosslinked by flexible polyurethanes: effects of silane precursors on structure-property relationships. Annual Technical Conference - Society of Plastics Engineers, 67th 659-663.
14. Lee, B.-J., Roy, S., Jana, S. C. 2009 POSS/PP nanocomposites: characterization and properties. Annual Technical Conference - Society of Plastics Engineers, 67th 126-130.
15. Du, L., Jana, S. C. 2009 Thermal conductivity of epoxy filled with expanded graphite platelets. Annual Technical Conference - Society of Plastics Engineers , 67th 117-121.
16. Gunes, I. S., Cao, F., Jana, S. C. 2009 Water vapor transport properties of shape memory polyurethane nanocomposites. Annual Technical Conference - Society of Plastics Engineers, 67th 102-106.
17.

28. Jimenez, G., Jana, S.C. 2007 Polyurethane-carbon nanofiber composites for shape memory effects. SPE ANTEC 65, 18-22.
29. Du, L., Jana, S.C., 2007 Highly conductive epoxy composites for application as bipolar plates in proton exchange membrane fuel cells (PEMFCs), SPE ANTEC 65, 235-239.
30. Gunes, I.S., Cao, F., Jiménez, G.A., Jana, S.C., 2007 Evaluation of nanoparticulate fillers for shape memory polyurethane nanocomposites, SPE ANTEC 65, 1362-1366.
31. Cao, F., Jana, S.C., 2007 Shape memory polyurethane-clay nanocomposites. SPE ANTEC 65, 1367-1371.
32. Gintert, M., Jana, S.C., Miller, S.G., 2007 Evaluation of nanoclay exfoliation strategies for thermoset polyimide nanocomposite systems. SPE ANTEC 65, 1399-1403.
33. Gintert, M., Campbell, S., Jana, S.C., 2006 Harnessing molecular forces to exfoliate clay in thermoset systems, SPE ANTEC 64, 258-262.
34. Jana, S.C., Dharaiya, D., Pattanayak, A., Jung, C.D., 2006 Chemical and engineering issues of polymer nanocomposites design, SPE ANTEC 64, 496-500.
35. Jana, S.C., Dharaiya, D., 2006, Particulate fillers on morphology development in chaotic mixing, SPE ANTEC 64, 2132-2136.
36. Jimenez, G., Jana, S.C., 2006, Polymer composites of modified carbon nanofibers prepared by chaotic mixing, SPE ANTEC 64, 352-356.
37. Du, L., Jana, S.C., 2006, Carbon-filled polymer composites bipolar plates for proton exchange membrane fuel cells (PEMFC), SPE ANTEC 64, 456-460.
38. Cao, F., Jana, S.C., 2006, Nanoclay-tethered shape memory polyurethane nanocomposites, SPE ANTEC 64, 646-649.
39. Dharaiya, D., Jana, S.C. 2005 Morphology development in blends of nanoclay, polyamide 6, and polypropylene processed in a chaotic mixer. SPE ANTEC 63, 1439-1443.
40. Jung, C.D., Jana, S.C. 2005 Effect of chaotic mixing on catalyzed thermoplastic polyurethane polymerization. SPE ANTEC 63, 1800-1804.
41. Dharaiya, D., Jana, S.C., Lyuksyutov, S. 2005 Production of conductive multiphase polymer syst (z)4 (a)-6Eer s

69. Jana, S.C., Doni, S. 2001 On the effects of migration of filler particles on conductivity and mechanical properties. *SPE ANTEC Proceedings*, 59, 2022-2026.
70. Jana, S.C., Jain, S. 2001 Dispersion of nanoparticles in high performance polymers using thermosetting resins. *SPE ANTEC Proceedings*, 59, 2180-2184.